

HALOPIN OVEN 40 W 230 V G9

HALOPIN OVEN | Halogen oven lamps



Baking ovens

Product benefits

- Optimum halogen content for high temperatures
- $\boldsymbol{\cdot}$ Contains no mercury, can be thrown away with normal household waste





Technical data

Electrical data

Rated wattage	40 W
Nominal wattage	40 W
Nominal voltage	230 V
Rated power factor λ	1.00


Light technical data

Light color as per EN 12464-1	Warm White
Nominal luminous flux	490 lm
Rated luminous flux	490 lm
Color temperature	2700 К
Color rendering index Ra	100
Starting time	0.0 s
Warm-up time (60 %)	0 s
Lumen main.fact.at end of nom.life time	0.80

Dimensions & weight

Length	43.0 mm
Overall length	43.0 mm
Diameter	14.0 mm
Light center length (LCL)	22.0 mm
Outer bulb	T13,3





Product line drawing with letters

Colors & materials

Lamp mercury content	0.0 mg
Mercury-free	Yes

Lifespan

Nominal lamp life time	2000 h ¹⁾
Rated lamp life time	2000 h
Number of switching cycles	1000000 ²⁾

 $^{1)}\ {\rm Average}\ {\rm lifespan}\ {\rm at}\ {\rm room}\ {\rm temperature}; {\rm higher}\ {\rm temperature}\ {\rm can}\ {\rm reduce}\ {\rm the}\ {\rm lifespan}\ {\rm lifespan}\ {\rm temperature}\ {$

 $^{2)}$ At 1 s on / 1 s off

Additional product data

Base (standard designation)

G9



Capabilities

Dimmable	Yes
Non-standard conditions	Oven

Certificates & standards

EEI – Energy Label D	

Country specific categorizations

ILCOS	HSGST/C/UB-40-230-G9-22
Order reference	66740 OVEN



Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321703576	Folding carton box 1	25 mm x 23 mm x 70 mm	8.00 g	0.04 dm³
4008321703583	Shipping carton box 20	118 mm x 55 mm x 144 mm	118.00 g	0.93 dm³



Packaging image



Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.